

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	12351	358/505,474,527,516,518,519,461,521,530,448,524,523,498,471,1,13,400,487.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 11:37
S10	2112	382/254,274,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 11:42
S12	111	(scann\$5 or (imag\$4 near3 (input\$5 or read\$5))) and (((imag\$5 near3 proces\$9) near5 (internal\$5 or scan\$5 or (imag\$4 near3 (input\$5 or read\$5)))) same (((imag\$5 near3 process\$9) near5 (externa\$6 or computer or server or network\$5)) same ((select\$5 or choos\$5 or determin\$6 or judg\$5 or input\$5 or enter\$5) near5 (user or operator) near5 (imag\$5 near3 process\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:57
S11	11	S1 and (S4 or S10)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:57
S13	32	S12 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:02
S1	111	(scann\$5 or (imag\$4 near3 (input\$5 or read\$5))) and (((imag\$5 near3 proces\$9) near5 (internal\$5 or scan\$5 or (imag\$4 near3 (input\$5 or read\$5)))) same (((imag\$5 near3 process\$9) near5 (externa\$6 or computer or server or network\$5)) same ((select\$5 or choos\$5 or determin\$6 or judg\$5 or input\$5 or enter\$5) near5 (user or operator) near5 (imag\$5 near3 process\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:42

S14	20	(scann\$5 or (imag\$4 near3 (input\$5 or read\$5))) and (((imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9) near5 (internal\$5 or embed\$5 or perform\$5 or proces\$6 or execut\$6) near3 (scan\$5 or (imag\$4 near3 (input\$5 or read\$5)))))) same ((imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9) near5 (perform\$5 or proces\$6 or execut\$6) near5 (externa\$6 or computer or server or network\$5)) same ((select\$5) near5 (user or operator) near5 (imag\$5 near3 process\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:49
S15	23	(scann\$5 or (imag\$4 near3 (input\$5 or read\$5))) and (((imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9) near5 (internal\$5 or embed\$5 or perform\$5 or proces\$6 or execut\$6) near3 (scan\$5 or (imag\$4 near3 (input\$5 or read\$5)))))) same ((imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9) near5 (perform\$5 or proces\$6 or execut\$6) near5 (externa\$6 or computer or server or network\$5)) same ((select\$5) near5 (user or operator) near5 (imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:55
S18	3	"6327056".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:34
S17	1	"6757081".pn. and mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:34

S19	14	(scann\$5 or (imag\$4 near3 (input\$5 or read\$5))) and (((imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9) near5 (internal\$5 or built or built-in or embed\$5 or perform\$5 or proces\$6 or execut\$6) near3 (scan\$5 or (imag\$4 near3 (input\$5 or read\$5)))) same ((imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9) near5 (perform\$5 or proces\$6 or execut\$6 or program\$6) near5 (externa\$6 or computer or server or network\$5)) and (((select\$5 or choos\$5) near5 (user or operator) near5 (imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9) near3 (mode or option)) same (scan\$5 or (imag\$4 near3 (input\$5 or read\$5)) same (externa\$6 or computer or server or network\$5 or host))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:40
S21	0	"6278526".pn. and (buffer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:41
S20	0	"6278526".pn. and (imag\$4 near3 buffer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:41
S22	1	"6278526".pn. and (imag\$4 near3 (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:42
S23	1	"6278526".pn. and (((imag\$4 near3 (memory or storage)) with (scan\$6 or (imag\$5 near3 (input\$5 or read\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:43
S25	0	"6278526".pn. and ((select\$5 or choos\$5) near5 (host or computer) near5 proces\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:52
S24	1	"6278526".pn. and (((imag\$4 near3 (memory or storage)) same (scan\$6 or (imag\$5 near3 (input\$5 or read\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:52
S26	1	"6278526".pn. and ((select\$5 or choos\$5) near5 (host or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:53

S27	1	"6278526".pn. and ((select\$5 or choos\$5) near5 (mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:57
S29	1	"6278526".pn. and shar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:03
S28	2	"6278526".pn. and ((imag\$5 near3 process\$5) near7 external)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:03
S30	361	(scann\$5 or (imag\$4 near3 (input\$5 or read\$5))) with (imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9)) with (shar\$5 or allot\$9 or distribut\$5 or divid\$6 or partition\$5) with (host or computer or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:14
S32	24	S31 and ((user or operator) near5 (select\$5 or choos\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:17
S31	70	(scann\$5 or (imag\$4 near3 (input\$5 or read\$5))) with (imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9)) with (shar\$5) with (host or computer or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:17
S34	19	S33 and ((user or operator) near5 (select\$5 or choos\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:18
S33	44	(scann\$5 or (imag\$4 near3 (input\$5 or read\$5))) with (imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9)) with (share or sharing or shared) with (host or computer or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:32
S35	98	(scann\$5 or (imag\$4 near3 (input\$5 or read\$5))) with (imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9)) with ((user or operator) near5 (select\$5 or choos\$5)) with (host or computer or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:39
S40	2112	382/254,274,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:46

S39	12351	358/505,474,527,516,518,519,461,521,530,448,524,523,498,471,1,13,400,487.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:46
S41	11	S38 and (S39 or S40)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 16:47
S38	112	((scann\$5 or (imag\$4 near3 (input\$5 or read\$5))) near4 (perform\$5 or process\$5 or conduct\$5 or generat\$5 or execut\$5) near3 (imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9))) same ((host or computer or computing or processor or (control\$5 near3 unit) or external\$5 or server) near4 (perform\$5 or process\$5 or conduct\$5 or generat\$5 or execut\$5) near3 (imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9))) same ((user or operator) near4 (select\$5 or choos\$5 or determin\$9)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 09:58
S42	975	((scann\$5 or (imag\$4 near3 (input\$5 or read\$5))) near4 (transmi\$6 or send\$5) near4 (imag\$5) near5 (host or computer or computing or processor)) and ((perform\$5 or process\$5 or conduct\$5 or generat\$5 or execut\$5) near3 (imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9)) near6 (host or computer or computing or processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:05
S43	102	((scann\$5 or (imag\$4 near3 (input\$5 or read\$5))) near4 (transmi\$6 or send\$5) near4 (imag\$5) near5 (host or computer or computing or processor)) and (((perform\$5 or execut\$5) near3 (imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9)) near6 (host or computer or computing or processor)) same ((perform\$5 or execut\$5) near3 (imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9)) near6 (scann\$5 or (imag\$4 near3 (input\$5 or read\$5))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:09

S44	20	S43 and ((user or operator) near6 (imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:16
S46	2	"6937366".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 10:21
S45	19	S44 and ((imag\$5 or data) near4 (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 11:55
S16	27	(scann\$5 or (imag\$4 near3 (input\$5 or read\$5))) and (((imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9) near5 (internal\$5 or embed\$5 or perform\$5 or proces\$6 or execut\$6) near3 (scan\$5 or (imag\$4 near3 (input\$5 or read\$5)))))) same ((imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9) near5 (perform\$5 or proces\$6 or execut\$6) near5 (externa\$6 or computer or server or network\$5)) and ((select\$5 or choos\$5) near5 (user or operator) near5 (imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9) near3 (mode))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:20
S48	12492	S47 and ((computer or host or server or workstation) near4 (imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:24
S47	108762	(scann\$5 or copier or (copying) or (imag\$5 near3 (device)) or (imag\$4 near3 (captur\$5 or input\$5 or read\$5) near3 device)) with (imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:24
S49	1464	S48 and ((computer or host or server or workstation) near4 (connect\$5 or communicat\$5) near5 (scann\$5 or copier or (copying) or (imag\$5 near3 (device))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:26
S51	44	S50 and (imag\$5 near3 (correct\$5 or enhanc\$5 or proces\$9) near5 (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:32

S50	91	S49 and ((user or operator) near5 (select\$5 or choos\$5) with (scann\$5 or copier or (copying) or (imag\$5 near3 (device))) with (computer or host or server or workstation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:34
S54	9	S53 and ((mode or option or setting) with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:12
S55	1	"5909602".pn. and ((user or operator) near5 (select\$5 or choos\$5) with (copying) with (imag\$5 near3 process\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:15
S56	1	"5909602".pn. and (mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:16
S59	0	"5909602".pn. and (mode with (imag\$5 near5 process\$5)) and (buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:17
S58	0	"5909602".pn. and (mode with (imag\$5 near5 process\$5)) and (first near3 (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:17
S57	1	"5909602".pn. and (mode with (imag\$5 near5 process\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:17
S61	1	"5909602".pn. and (mode same (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:18
S60	1	"5909602".pn. and (mode with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:18
S53	10	S51 and ((mode or option or setting) near5 (scann\$5 or copier or (copying) or (imag\$5 near3 (device)))) and ((mode or option or setting) near5 (computer or host or server or workstation)) and ((user or operator) near5 (select\$5 or choos\$5) near5 (mode or option or setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:25

S62	6	S53 and ((first or second) near3 (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:35
S64	1	"5909602".pn. and ((specimen near3 image near3 judg\$5) same (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:40
S63	1	"5909602".pn. and (specimen near3 image near3 judg\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:40
S65	3	"6327056".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 13:47
S67	7	("4680644" "4923263" "5266805" "5272548" "5920680" "5929979" "6005682").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 13:53
S66	0	("6327056").URPN.	USPAT	OR	ON	2005/12/22 13:53
S68	0	"6147770".pn. and mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:07
S52	21	S51 and ((mode or option or setting) near5 (scann\$5 or copier or (copying) or (imag\$5 near3 (device)))) and ((mode or option or setting) near5 (computer or host or server or workstation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:07
S69	2	"6147770".pn. and (user or operator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:42
S70	1	"6388771".pn. and (memory or storage or buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:45
S71	1	"6278526".pn. and (memory or storage or buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:48
S72	1	"6278526".pn. and ((memory or storage or buffer) with imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:55

S73	1	"6278526".pn. and (((memory or storage or buffer) with imag\$5) same (mode or option or setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:59
S74	0	"6628416".pn. and (((memory or storage or buffer) with imag\$5) same (mode or option or setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:00
S75	0	"6628416".pn. and (((memory or storage or buffer) with imag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:01
S76	0	"6147770".pn. and (((memory or storage or buffer) with imag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:02
S77	1	"6147770".pn. and (((memory or storage or buffer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:38
L3	1	"966771".ap. and (correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:49
L2	0	"966771".ap. and (white near3 correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:49
L1	5	"966771".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:49
L4	0	"966771".ap. and (white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:51
L7	0	"966771".ap. and (gradation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:52
L6	0	"966771".ap. and (shade)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:52

L5	1	"966771".ap. and (color near5 correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:52
L9	0	"966771".ap. and (facsimile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:57
L8	0	"966771".ap. and (density)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:57
L10	0	"966771".ap. and (fax)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:58
L12	2	"966771".ap. and (communicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:02
L11	1	"966771".ap. and (correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:02